

\*\*\*For Specimen collection and handling instructions, refer to <http://healthlabtesting.com/> \*\*\*

**1 Test Changing: 2191959 - PROTHROMBIN FRAGMENT 1+2** **Effective Date:** 6/2/2026

**Elements Modified:** Update existing test name for test code 2191959 to PROTHROMBIN FRAGMENT 1+2 3923

Replace Existing Result Components for 2191959

Result Code - Result Name  
117231 - Prothrombin Fragment 1+2  
SCANRESULT - Scanned Report

**2 Test Changing: 2194629 - ELECTROLYTE AND OSMOLALITY PANEL, FECES** **Effective Date:** 6/23/2026

**Elements Modified:** Inactivate Test Code 2194629 3928  
Test has been Discontinued by Mayo

**3 Test Changing: 2327802 - CRYPTOCOCCUS ANTIGEN/REFLEX TITER WITH FUNGAL CULTURE - CSF; CPT 86403** **Effective Date:** 6/30/2026

**Elements Modified:** Existing test has been updated. 3927  
Test has been built as a panel.  
Please update test name.

Orderable  
2327802 - CRYPTOCOCCUS ANTIGEN/REFLEX TITER WITH FUNGAL CULTURE - CSF; CPT 86403  
Existing Result Code - Result name  
CRYPTRFX - Cryptococcus Antigen  
TITER1 - Cryptococcus Antigen Titer

Not Orderable reflex tests  
2324798 - CRYPTOCOCCUS ANTIGEN/REFLEX TITER - CSF  
2133308 - FUNGAL W/SMEAR- CEREBROSPINAL FLUID

**4 Test Changing: 2324796 - CANDIDA AURIS SCREEN BY PCR; CPT 87481** **Effective Date:** 6/30/2026

**Elements Modified:** New Test Available 2324796 3926

2324796 - CANDIDA AURIS SCREEN BY PCR

Required Questions  
Question Code: SOURCELAB14516  
Question Caption: Specimen Source  
MC Options: Axilla, Left | Axilla, Right | Nose | Groin

Result Code - Result Name  
CAUPCR - Candida auris screen by PCR

**5 Test Changing: 2102968 - AUTOIMMUNE DISEASE PANEL; CPT** **Effective Date:** 6/30/2026

**86160 | 86160 | 86235 | 86235 | 86225 | 86147 | 86147 | 86235 | 86235 | 86235 | 86235 | 86235**

**Elements Modified:** Update existing test panel 2102968 3925

Remove Tests  
Test Code - Test Name  
2328372 - ANA, REFLEX TITER/PATTERN  
2190317 - HISTONE ANTIBODY  
2328444 - SMOOTH MUSCLE AB SCREEN, REFLEX TITER

Add Test

# Laboratory Test Update for Interfaces

Monday, June 22, 2026

\*\*\*For Specimen collection and handling instructions, refer to <http://healthlabtesting.com/> \*\*\*

Test Code - Test Name  
2323326 - SMITH (SM) ANTIBODY, QUANTITATIVE

**6 Test Changing: 2198799 - BORDETELLA PERTUSSIS AND BORDETELLA PARAPERTUSSIS, MOLECULAR DETECTION, PCR, VARIES; CPT 87798|87798** **Effective Date:** 6/30/2026

**Elements Modified:** Inactivate Test Code 2198799 3924

Replacement Test  
2324797 - BORDETELLA PERTUSSIS AND BORDETELLA PARAPERTUSSIS, MOLECULAR DETECTION, PCR, VARIES; CPT 87798

Result Code - Result Name  
BORDPERPCR - Bordetella pertussis PCR  
BORDPARPCR - Bordetella parapertussis PCR

The CPT Codes provided in this document are based on AMA guidelines and are for informational purposes only. CPT coding is the sole responsibility of the billing party. Please direct any questions regarding coding to the payor being billed. Any Profile/panel component may be ordered separately. Reflex tests are performed at an additional charge.